

NOTES:

- 1. SUBSTRATE: B270
- 2. SURFACE S2 TO BE PARALLEL TO SURFACE S1 TO WITHIN <3 ARCMIN
- 3. COATING (APPLY ACROSS COATING APERTURE)
 - \$1 & \$2: R(AVG) < 0.5% @ 400 700nm
- 4. RETARDANCE: $\lambda/2 \pm 10$ nm @ 560nm
- 5. DESIGN WAVELENGTH: 560nm
- 6. CONSTRUCTION: Birefringent Polymer Stack
- 7. ROHS: COMPLIANT



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY



FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING