NOTES:

- SUBSTRATE
- 2. SURFACE S2 TO BE PARALLEL WITH SURFACE S1 TO WITHIN 5 arcsec
- 3. COATING (APPLY ACROSS COATING APERTURE) PERFORMANCE SPECIFICATIONS:

T(avg): >85% FROM 546 - 1008nm FOR RANDOM POLARIZATION @ 45° AOI T(abs): >80% FROM 546 - 1008nm FOR ALL POLARIZATIONS @ 45° AOI

R(avg): >97% FROM 1102 - 1365nm FOR RANDOM POLARIZATION @ 45° AOI

R(abs): >95% FROM 1102 - 1365nm FOR ALL POLARIZATIONS @ 45° AOI


T(abs): = 50% 1050nm @ 45° AOI

GDD: 80 ± 30fs² @ 546 - 625 120 ± 80fs² @ 746 - 1008nm


\$1: HARD COATED \$2: SINGLE LAYER MgF2

4. FINE GRIND SURFACE


- POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS APPLY ACROSS CLEAR APERTURE
- 6. TRANSMITTED WAVEFRONT DISTORTION RMS@ 632.8nm $\leq \frac{1}{4} \lambda$
- 7. ROHS COMPLIANT



SHORTPASS FILTER



PARTS TO THIS DRAWING



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	\$1	\$2	
SHAPE	PLANO PLANO		
SURFACE QUALITY	40-20	40-20	
CLEAR APERTURE	24.2 x 34.6	24.2 x 34.6	
COATING APERTURE	24.2 x 34.6	24.2 x 34.6	
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED	

			Edmund Optics®		
THIRD ANGLE PROJECTION	ϕ	TITLE	1050nm, 25.2 x 35.6mm, Low GDD Dichroic Shortpass Ultrafast Filter		
ALL DIMS IN	mm	DWG NO	14038	SHEET 1 OF 1	