
## NOTES:


- 1. SUBSTRATE: CRYSTAL QUARTZ
- COATING (APPLY ACROSS CLEAR APERTURE) \$1 & \$2: R(ABS) <0.25% @ 1550nm DAMAGE THRESHOLD: 3.5 J/cm<sup>2</sup> @10ns @ 1064nm


*FOR INFORMATION ONLY:* DO NOT MANUFACTURE


PARTS TO THIS DRAWING

- 3. SURFACE \$1 TO BE PARALLEL TO SURFACE \$2 TO WITHIN <0.5 arcsec
- 4. RETARDANCE:  $\lambda/2 \pm \lambda/200$
- 5. TRANSMITTED WAVEFRONT:  $\lambda/10$  FOR CENTRAL 80% OF CLEAR APERTURE
- 6. ROHS COMPLIANT









SECTION A-A

## SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

					<b>Edmund Optics</b> <sup>®</sup>		
	S1	S2 THIRD ANG PROJECTIO		$\mathbf{\Phi} \mathbf{\Box}$	TITLE	<sup>ITTLE</sup> Ø25.4mm, 1550nm, λ/2 QUARTZ WAVEPLA ZERO ORDER	
CLEAR APERTURE	Ø15.0	Ø15.0					
SURFACE QUALITY	10-5	10-5	ALL DIMS IN	mm	DWG NO	46415	SHEET 1 OF