## NOTES:

- 1. SUBSTRATE:
  - FUSED SILICA
- 2. ROHS COMPLIANT
- 3. COATING (APPLY ACROSS CLEAR APERTURE)


\$1 & \$2: 1064 V-COAT


R(ABS) <0.25% @ 1064nm

4. FINE GRIND SURFACE (ADD INK NOTE AS NEEDED)

5. FINE GRIND SURFACE

6. FOCAL LENGTH (EFL): -30.00 mm BACK FOCAL LENGTH (BFL): -31.37 mm





## FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	\$1	\$2
SHAPE	CONCAVE	PLANO
RADIUS	-13.75	INFINITY
SURFACE QUALITY	40-20	40-20
CLEAR APERTURE	Ø11	Ø11
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED

			<b>Edmund Optics</b> ®		
	THIRD ANGLE PROJECTION		TITLE	12.0mm Dia. x -30 FL, 1064 V-Coat, UV Plano- Concave Lens	
)	ALL DIMS IN	mm	DWG NO	21033	SHEET 1 OF 1