

NOTES:

1. SUBSTRATE:
FUSED SILICA
2. ROHS COMPLIANT



3. COATING (APPLY ACROSS CLEAR APERTURE)

S1 & S2: VIS-NIR (400-1000nm)
R(ABS) $\leq 0.25\%$ @ 880nm
R(AVG) $\leq 1.25\%$ @ 400 - 870nm
R(AVG) $\leq 1.25\%$ @ 890 - 1000nm

4. FINE GRIND SURFACE (ADD INK NOTE AS NEEDED)

5. FINE GRIND SURFACE

6. FOCAL LENGTH (EFL): -9mm
BACK FOCAL LENGTH (BFL): -10.38mm



SECTION A-A

FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

	S1	S2
SHAPE	CONCAVE	PLANO
RADIUS	-4.13	INFINITY
SURFACE QUALITY	40-20	40-20
CLEAR APERTURE	$\varnothing 5.4$	$\varnothing 5.4$
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED



ALL DIMS IN

mm



Edmund Optics®

TITLE

6.0mm Dia. x -9 FL, VIS-NIR, UV Plano-
Concave Lens

DWG NO

21043

SHEET
1 OF 1